







### **POWER-TO-WEIGHT RATIO\***

1.5 kg weight reduction ensures that the NS200 lets you own 200cc drag races! The advanced system ensures thrilling performance at high temperatures and high speeds.

#### **6-SPEED GEARBOX\***

6th gear ensures greater power delivery at higher RPMs and reduces stress on the gearbox.

# AGGRESSIVE & MUSCULAR STYLING

## AGGRESSIVE MUSCULAR STYLING

Piercing, sharp, blade-like speed lines embody the aggressive & sporty character of this muscular street fighter.

#### **DETAILED TO AWE**

Touches of black chrome, grey and carbon fiber finishes contour this naked beast in all its glory, enhancing its sophisticated character.

## ENGAGING RIDING ERGONOMICS

Forward-biased riding stance ensures that you are involved and thrilled at all times, be it on the track or the streets.

## TECHNOLOGY & HANDLING

#### **UPSIDE DOWN FRONT FORKS PERIMETER FRAME**

Ace fast cornering & agile handling with upside down forks which not only enhances the riding feel but also give the bike a more menacing and muscular presence overall.

Conquer every turn confidently, with the perimeter frame. High stiffness and low flex enable the sharpest handling experience.

#### **GEAR POSITION INDICATOR**

A quick glance will tell you which gear you are in, allowing you to maximize track racing and street riding.

#### **UPDATED DISPLAY CONSOLE**

With added features like
Distance-To-Empty Readout,
Instantaneous Fuel Economy & Average
Fuel Economy.





Take charge of emergency braking with absolute confidence. ABS comes into action ensuring wheels do not lock or subsequently skid on any surface.

### ULTRASAFE BRAKING PERFORMANCE

Unleash precision braking with a 300 mm front disc and a 230 mm rear disc brake.

#### **STRONGER GRIP**

Better stability & control with wider tyres (100/80-17 F, 130/70-17 R), avoiding slippage in wet & extreme conditions.



**GLOSSY EBONY BLACK** 



## **SPECIFICATIONS**

PARAMETER	SPECIFICATION	PULSAR NS200	PULSAR NS160
ENGINE	Туре	Liquid Cooled, Triple Spark, 4-Valve FI DTS-i Engine	Oil Cooled, Twin Spark, 4-Valve FI DTS-i Engine
	Displacement	199.5 cc	160.3 cc
	Max. Power	18 kW (24.5 PS) ര 9750 rpm	12.7 kW (17.2 PS) @ 9000 rpm
	Max. Torque	18.74 Nm @ 8000 rpm	14.6 Nm @ 7250 rpm
BRAKES	Front	Dual Channel ABS, 300 mm Disc	
	Rear	230 mm Disc (ABS)	
SUSPENSION	Front	Upside Down Forks	
	Rear	Nitrox mono shock absorber with Canister	
TYRES	Front	100/80-17 52 P Tubeless	
	Rear	130/70-17 62 P Tubeless	
DIMENSIONS	Length	2017 mm	
	Width	804 mm	
	Height	1075 mm	1060 mm
	Ground clearance	168 mm	170 mm
	Wheelbase	1363 mm	1372 mm
	Kerb weight	158 kg	152 kg
	Fuel tank capacity	12 L	
	Console features	Gear position indicator, Distance-to-empty indicator	
ELECTRICALS	Headlamp	H4 Blue Tinge (12 V 55/60W), with AHO (Auto Headlamps On)	
	System	DC, 12 V,	8Ah VRLA





FOLLOW BAJAJ PULSAR ON









