

CB

300F

Honda
FLEXTECH



 **E85**

Compatible with up to **85%** Ethanol blended Fuel



FLEX YOUR NEXT

Upgear to the all-new,
first in segment Flex-fuel Drive.

Get ready to flex your next ride! Introducing the all-new, first-in-segment Flex-fuel Drive. It's time to upgear your excitement, power, and adrenaline rush to full throttle. Our ride is geared up for a sustainable future with its upgear performance, commanding presence, and spirited engine.

4 VALVE, 300cc OIL COOLED ENGINE

Unleash the power of our 300cc oil-cooled engine with 4-valve technology for exceptional pickup and the oil cooler system for optimal temperature control, ensuring uncompromised performance in every ride.



E85

The new CB300F is built to run on E85 Flex Fuel (85% Ethanol and 15% Petrol), which contributes to a greener planet while delivering power-packed performance.

Honda SELECTABLE TORQUE CONTROL (HSTC)

Stay connect to the road & own the control under any road condition, HSTC system maintains traction between tyre & surface, to avoid slipping.



DUAL CHANNEL ABS

Always stay in control of your direction and stability on all road conditions with Dual Channel ABS.

FULLY DIGITAL METER

Get all the ride stats and feature indications in a quick glance on advanced digital meter with 5 level brightness adjustment.



6 SPEED TRANSMISSION

Get precise gear ratios for smooth and comfortable city ride, as well as for the excitement on highways.

ASSIST SLIPPER CLUTCH

Glide through street corners and city traffic with ease, as the assist slipper clutch requires less force enabling quick shift and prevents rear wheel hopping while down shifting.



WIDE RADIAL REAR TYRE

The 150mm wide rear tyre is built for superior grip, so you can take up any challenge with confidence and ease, be it street corner or the open road.

COLOURS



SPORTS RED



MAT AXIS GREY METALLIC

TECHNICAL SPECIFICATIONS

BODY DIMENSIONS

Length	2084mm
Width	765mm
Height	1075mm
Wheel Base	1390mm
Ground Clearance	177mm
Kerb Weight	153Kg
Seat Length	614mm
Seat Height	789mm
Fuel Tank Capacity	14.1L

TRANSMISSION

Clutch Type	Multiplate Wet Clutch
No. of Gears	6 Gears

FRAME & SUSPENSION

Frame Type	Diamond type
Front Suspension	Telescopic (USD)
Rear Suspension	Monoshock

ENGINE

Type	4 Stroke, SI, Oil Cooled Engine
Displacement	293.52 cc
Max. Engine Output	18.3kW @ 7500 rpm
Max. Torque	25.9N-m @ 5500 rpm
Fuel System	PGM-FI
Bore x Stroke	77.000 X 63.033mm
Compression Ratio	9.3:1
Starting Method	Self Start

TYRES & BRAKES

Tyre Size & Type (Front)	110/70R-17M/C 54H
Tyre Size & Type (Rear)	150/60R-17M/C 66H
Brake Type & Size (Front)	Disc 276mm
Brake Type & Size (Rear)	Disc 220mm
Braking System	Dual Channel ABS

ELECTRICALS

Battery	12V, 5.0Ah
Head Lamp/Tail Lamp/Winkers	LED

Honda BigWing

—EXCITES THE WORLD—

Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram (Haryana) – 122050, India

Customer Care: customercare@honda2wheelersindia.com Website: www.hondabigwing.in



Follow us on: [f](#) [v](#) Honda BigWing India | [i](#) [x](#) BigWingIndia