

Dealer Stamp:









PEM-FI

combustion and results in

consistent power output and more mileage.



meshing for a start as silent as a wild cat on the hunt. It also helps to reduce



Smart Safe, Smart Find, Smart Unlock and Smart Start, it is sure to make your ride filled with fun. convenience and ease!



cuts off the engine when the side stand is engaged.





No more hassles of lifting your seat. You can refuel your Honda DIO without having to leave your seat.



Switch to the better way of riding. Start and stop the engine with just a click.




For the ones sitting behind, the ride now becomes a 'pillion times' more comfortable.



Its your ride's way of saying 'give me way'. Speak on the go without saying a word.



Store your essentials, be it your sipper or your glares. Oh goodness gracious, this front pocket is even more spacious.



Lift your seat upright and you have a place to perfectly store your stuff. Be it your headphone, notebook or DSLR, put it in and ride wherever.





The signature LED position lamp delivers a dashing look to the ride and adds a dash of style on the rider.



Better grip meets
gripping design. The cool and
gripping split grab rail in the
edgy-looking split grab rail in the
new Honda DIO amps up the style
guotient exponentially.



The stylish muffler protector in DIO makes it look really cool while protecting the feet from feeling the heat.



With better heat conduction, these wheels are sure to make a statement that's strong yet stylish. All this, so you can now ride in style with utmost comfort.



## The New Dio is available in 3 different variants

Parameters	H-Smart	DLX	STD
Smart Key	✓	x	x
Wheels	Alloy	Golden Steel Rim	Black Steel Rim
Digital Meter	1	✓	x
External Fuel Lid	✓	✓	✓
Engine Start/Stop Switch	<b>√</b>	✓	✓
Front Pocket	✓	✓	✓
Smart Switch/Multifunction Switch	Smart	Multifunction	Multifunction
Passing Switch	<b>√</b>	✓	<b>√</b>
LED Headlamp		/	x
LED Position Light	✓	1	✓
Underseat Storage	✓	✓	✓
Stylish Muffler Protector	✓	<b>/</b>	✓
Split Grabrail	<b>√</b>	✓	✓
Retractable Pillion Foot Step	✓	✓	✓
PGM-FI	✓	✓	✓
eSP Technology		<b>V</b>	<b>V</b>
Silent Start with ACG	✓	✓	✓
Side Stand Engine Cutoff <sup>^</sup>	OP	OP	OP
Battery Indicator	V	x	x
Smart Key Indicator	✓ <b>/</b>	x	×

ailable as Optional

- \*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice Dio meets Bharat Stage VI norms Product shown in the picture may vary from actual product available in the market Accessories shown in the picture are not part of standard equipment
- iant only Distance to empty, real time and average mileage readings may vary as per riding conditions

## Technical Specifications#

	Parameters	Measurements
Body Dimensions	Length	1808 mm
	Width	723 mm
	Height	1150 mm
	Wheel base	1260 mm
	Ground clearance	160 mm
	Kerb weight	103 kg
	Seat length	650 mm
	Seat height	765 mm
	Fuel tank capacity	5.3L
Engine	Туре	4 stroke, SI Engine
	Displacement	109.51cc
	Max engine output	5.78kW @ 8000rpm
	Max torque	9.03 N-m @ 5250 rpm
	Fuel system	PGM-FI
	Bore x Stroke (mm)	47.000 x 63.121 (mm)
	Compression ratio	10.0:1
	Starting method	Self start
Transmission	Clutch type	Automatic Centrifugal Clutch Dry Type
	No. of gears	NA
Tyres & Brakes	Tyre size & type (Front)	90/90-12 54J, Tubeless
	Tyre size & type (Rear)	90/100-10 53J, Tubeless
	Brake type & size (Front)	Drum (130mm)
	Brake type & size (Rear)	Drum (130mm)
Frame & Suspension	Frame type	Underbone
	Front suspension	Telescopic
	Rear suspension	Unit Swing
Electricals	Battery	12 V, 3.0 Ah
	Head lamp	LED