HONDA\_Shine Brochure\_11.75x8.25

#### SPECIFICATIONS

$\times \times \times \times \times$	PARAMETERS	MEASUREMENTS	
BODY DIMENSIONS	Length	2046 mm	
	Width	737 mm	
	Height	1116 mm	
	Wheel Base	1285 mm	
	Ground Clearance	162 mm	
	Kerb Weight	Disc 115 kg, Drum 114 kg	
	Seat Length	651 mm	
	Seat Height	791 mm	
	Fuel Tank Capacity	10.5 L	
ENGINE	Туре	4 Stroke, SI, BS-VI Engine	
	Displacement	124cc	
	Max Engine Output	7.9 kW @ 7500 rpm	
	Max Torque	11 N-m @ 6000 rpm	
	Fuel System	PGM- FI	
	Bore X Stroke	50.0 X 63.1 mm	
	Compression Ratio	10±0.2	
	Starting Method	Self/Kick	
TRANSMISSION	Clutch Type	Multiplate Wet Clutch	
	No. of Gears	5	
TYRES & BRAKES	Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless	
	Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless	
	Brake Type & Size (Front)	Disc-240 mm, Drum-130 mm	
	Brake Type & Size (Rear)	Drum-130 mm	
FRAME & SUSPENSION	Frame Type	Diamond Type	
	Front Suspension	Telescopic	
	Rear Suspension	Hydraulic Type	
ELECTRICALS	Battery	12V, 5.0Ah	
	Head Lamp	Halogen Bulb, DC	










Other Honda Shield Products\*\*
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance





Honda Motorcycle and Scooter India Pvt. Ltd., Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com











A QUIET REVOLUTION

AMAZING COMFORT. **AMAZING TECHNOLOGY. AMAZING FEELING.** 

Honda presents the all new Shine with amazing eSP Technology and eco-friendly BS-VI Engine that keeps emission in check. Its ACG Starter removes gear meshing noise and helps start the engine without a jolt. And its 5-Speed Transmission ensures that your ride is always amazingly smooth.









## eSP TECHNOLOGY

With Shine, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction to give you the best riding experience.

## SILENT START WITH ACG

Honda's unique ACG starter removes gear meshing noise and helps start the engine without a jolt.

## PGM-FI

PGM-FI system is a sensor based advance system which constantly ensures optimum fuel delivery to the engine resulting in efficient combustion that aids in consistent power output, higher mileage & lesser emissions.



#### FRICTION REDUCTION

The offset cylinder, roller rocker arm fitted with needle bearing reduces the frictional losses in the engine. The piston cooling jet improves the cooling efficiency and maintains optimum engine temperature.



# 14%^ MORE MILEAGE

A completely new engine powered by Honda's globally acclaimed eSP technology delivers 14%<sup>^</sup> more mileage.



# HET TUBELESS TYRE^^

Honda's low-rolling resistance tubeless tyre is specially designed to increase fuel-efficiency. HONDA\_Shine Brochure\_11.75x8.25 6



HONDA\_Shine Brochure\_11.75x8.25





# 5-STEP ADJUSTABLE SUSPENSION

Makes your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



# **CBS WITH EQUALIZER**

The Combi-Brake System with Equalizer reduces braking distance, so you can ride with confidence.



# SEAL CHAIN

Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.



## **3+3 YEARS WARRANTY PACKAGE**

Get complete peace of mind with 6 years warranty package, comprising of 3 years standard and 3 years optional service warranty.

