













The truly Zyada Ka Fayda scooter now comes with **ETFi** (Eco Thrust Fuel injection), a new age fuel injection technology optimized for better economy and performance.

The TVS Jupiter's refined engine delivers enhanced mileage, better rideability and durability for your vehicle and a superior riding experience to you – all adding to the overall ownership experience of the TVS Jupiter.

## ETFI BENEFITS

**Enhanced mileage 15%\*** better fuel economy.

Improved driveability Smooth power delivery with jerk-free riding.

**Smoother engine refinement** Smooth & consistent engine idling.

**Easy maintenance** Timely diagnosis due to OBD (On-board diagnostics) keeps maintenance cost low.

**Hassle-free startability** At all operating conditions.

**Superior durability** Effective component protection at all operating conditions lead to durability.

# ZYADA CONVENIENCE

True to the promise of offering 'zyada', the new TVS Jupiter comes with thoughtfully designed features ensuring ease of use and convenience.



# ZYADA COMFORT

Every feature in the new TVS Jupiter is ergonomically designed for better rideability keeping in mind the comfort of the rider and his family.





FRONT TELESCOPIC SUSPENSION



LARGE ALLOY WHEELS

# ZYADA SAFETY

The safety features of the new TVS Jupiter are tailored to keep the rider secure irrespective of changing conditions.



SYNC BRAKING TECHNOLOGY



LED HEAD LAMP



# ZYADA STYLE

The new TVS Jupiter strikes a balance between style and substance with unique features that gives you the element of style with each ride.



LED TAIL LAMP



BEIGE INNER PANELS



**DUAL-TONE SEAT** 

# **ZYADA COLOURS**

## **TVS JUPITER**



### **TVS JUPITER ZX**



## TVS JUPITER CLASSIC







## **SPECIFICATIONS**

#### ENGINE (BS-VI compliant)

Туре Displacement Bore x Stroke Air Filter Type Maximum Power Maximum Torque Transmission Type Starting System

#### **ELECTRICALS**

Ignition Battery Head Lamp & Tail Lamp

#### **CHASSIS & SUSPENSION**

Frame Dimensions (Ixbxh) Wheelbase Ground Clearance Kerb Weight Wheels Front Suspension

Rear Suspension

#### **BRAKES & TYRES** Front & Rear

Tyre Size (Front & Rear)

Single cylinder, 4 stroke, CVTi, fuel injection 109.7cc

53.5 x 48.8 mm Viscous paper filter 5.8 kW @ 7500 rpm 8.8 Nm @ 5500 rpm

CVT automatic Kick and electric starter

ECU Controlled ignition 12V, 4Ah MF battery LFD

High rigidity underbone type 1834 x 678 x 1286 mm

1275 mm 163 mm (unladen) 109 kg

Alloy

Telescopic hydraulic

3 step adjustable type coil spring with

hydraulic damper

## Ø130 mm Drum (SBT)

90/90-12 54J (tubeless)













P. B. No. 4. Harita, Hosur - 635 109, Tamil Nadu, India. Telephone: +91 (4344) 276780 Fax: +91 (4344) 277311/276878 www.tvsmotor.com/tvs-jupiter Toll-Free: 1800 315 7777